

# Rigids

- [Rigids Overview](#)
- [Aluminium Composite Board](#)

# Rigids Overview

## Direct to Board vs Print & Mount vs Print & Wrap

### Direct to Board

When ink is applied directly to the board using a UV printer such as the [Arizona 660XT](#).

### Print & Mount

When a printed Self Adhesive Vinyl is applied to a board on its face.

### Print & Wrap

When a printed Self Adhesive Vinyl is applied to a board, the excess is then wrapped around to the back of the board. Usually classed as a Museum Grade Finish.

## Rigid Sheet Products

Product	AKA	Stockheld?	Available Sizes	DTB	P&M	P&W	DS
---------	-----	------------	-----------------	-----	-----	-----	----

Aluminium Composite Board	ACM, Dibond, Skybond, Hoarding Board		<b>Thicknesses</b> 3mm Other non- stocked thicknesses available.  <b>Board Dimensions</b> 2440mm x 1220mm (0.12mm Skin) 2440mm x 1220mm (0.2mm Skin) 1500mm x 3050mm (0.15mm Skin) 1500mm x 3050mm (0.2mm Skin)  <b>Colours</b> Also available in other colours e.g. Black, Gold, Mirror				P&M
PVC Board	Foamex, Foam board, Blown PVC, Forex, Foamalite		<b>Thicknesses</b> 1mm, 2mm, 3mm, 5mm, 10mm, 19mm  <b>Board Dimensions</b> 2440mm x 1220mm 1550mm x 3050mm 1000mm x 3000mm (19mm only)				DTB

Lightweight Foam Board	Forex Smart, Kappa		<b>Thicknesses</b> 5mm  <b>Board Dimensions</b> 1066mm x 1526mm				
Butler Finish ACM	Brushed Aluminium		<b>Thicknesses</b> 3mm  <b>Board Dimensions</b> 2440mm x 1220mm (0.2mm Skin)				
High Impact Polystyrene	HIPS		<b>Thicknesses</b> 0.25mm, 0.5mm, 0.75mm, 1mm, 1.5mm  <b>Board Dimensions</b> 1050x610m m				DTB
Fluted Plastic Board	Corrugated Plastic, Correx		<b>Thicknesses</b> 4mm, 6mm, 8mm, 10mm  <b>Board Dimensions</b> 8x4ft (2440x1220 mm) 10x5ft (3048x1524 mm)				DTB

Polypropylene	Polyprop		<b>Thicknesses</b> 1mm <b>Board Dimensions</b>				
Medium Density Board	MDF		<b>Thicknesses</b> 18mm <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				DTB
Plywood			<b>Thicknesses</b> 12mm <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				DTB
Chipboard	OSB, Oriented Strand Board		<b>Thicknesses</b> 15mm <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				DTB
Acrylic	Perspex	Cast, Extruded	<b>Thicknesses</b> 3mm, 5mm, 10mm <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				

Corrugated Cell Board	Reboard, Xanite Board		<b>Thicknesses</b> 10mm, 13mm, 25mm  <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				P&M
Polycarbonate			<b>Thicknesses</b> 4mm  <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				
White Corrugated Cardboard	E-Flute		<b>Thicknesses</b> mm  <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				DTB
Brown Corrugated Cardboard			<b>Thicknesses</b> mm  <b>Board Dimensions</b> 8x4ft (2440x1220 mm)				

Folding Box Carton			<b>Thickness</b> s mm  <b>Board Dimension</b> s 8x4ft (2440x1220 mm)				
Card			<b>Thickness</b> s mm  <b>Board Dimension</b> s 8x4ft (2440x1220 mm)				DTB
Display Board			<b>Thickness</b> s mm  <b>Board Dimension</b> s 8x4ft (2440x1220 mm)				
Ferrous Composite Board	Magnetic ACM		<b>Thickness</b> s mm  <b>Board Dimension</b> s 8x4ft (2440x1220 mm)				

# Aluminium Composite Board

## Quick Description

Versatile board that can be used internally or externally. Heavier skins boards can be used to make Box Pans.

## Product Usage

- Flat Signage
- Box Pans
- Signs with Rail Channel
- Cut to Shape Signage
- Push Through Letter Systems

## Finishing Methods

<b>Print &amp; Mount</b>	Yes
<b>Direct to Board</b>	Yes
<b>Print &amp; Wrap</b>	Yes

## Material Image





# Suppliers

Supplier	Brand
Antalis	Coala
Perspex Distribution	Multipanel
Europoint / Amari (Vink Group)	Skybond

# Available Dimensions

Thickness	Width	Height
0.12	1220mm	2440mm
0.15	1500mm	3050mm
0.2	1220mm	2440mm
0.2	1500mm	3050mm
0.3	1220mm	2440mm
0.3	1500	3050mm

# At a Glance Information

Colour	Full Colour
Sides	Single Sided
UV Stability	5+ Years Direct Sunlight
Material	Aluminium Composite
Minimum Print Resolution	540dpi
Water Proof	Yes
Water Resistant	Yes
Print Technology	UV Curable or Latex Inks
Material Hardness	Hard
"B1" Fire Rated	Yes
"M1" Fire Rated	Yes
Drillable	Yes
Cut to Shape	Yes
Fire Rating	Euro Class "C"

# MSDS

[TS\\_EN\\_COALA\\_PRINTBOND\\_128\\_BASE\\_00\\_ISS\\_16062022.pdf](#)