Networking

- How to create a patch cable
- Network Map
- IP Addresses


How to create a patch cable

Network Map

Adding a Network Map

1. Go to you "My Computer"

2. From the Ribbon menu select "Map Network Drive"




3. Select the drive identifier




Letter	Drive	Address
Z:	Nethdd	\\192.168.0.10\nethdd
L:	Customers	\\192.168.0.10\root\customers\
M:	Matic Media	\\192.168.0.10\root\customers\M\Matic Media Services Ltd

4. Fill in map to match above table



5. The drive will be added to your My Computer (This PC)



IP Addresses

Device	Type	IP
Mimaki TX300p-1	Printer	192.168.0.245
Mimaki TX300p-2	Printer	192.168.0.242
Mimaki UJV3060	Printer	192.168.0.188
Colorado	Printer	192.168.0.211
Mesh Central	Remote Control	192.168.0.203
Colorado RIP Station	Computer	192.168.0.244
LIYU Rip Station	Computer	192.168.0.214

Cameras

Camera	IP address	Settings link
Printing	192.168.1.6	Open camera
Production	192.168.1.7	Open camera
Kitchen	192.168.1.8	Open camera
Reception	192.168.1.9	Open camera
Sales office	192.168.1.10	Open camera
External outside staff	192.168.1.11	Open camera
Finishing dirty	192.168.1.12	Open camera
External Rear Collections	192.168.1.13	Open camera
External Collections	192.168.1.14	Open camera
External Rear Fire Exit	192.168.1.15	Open camera
External Side Fire Exit	192.168.1.16	Open camera
External Front	192.168.1.17	Open camera
External Side Front Corner	192.168.1.18	Open camera
External Front Side	192.168.1.19	Open camera
Collections and deliveries	192.168.0.238	Open camera